



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/668,112	09/22/2000	Michael L. Grandcolas	CITI0185	9577

27510 . 7590 07/15/2005
KILPATRICK STOCKTON LLP
607 14TH STREET, N.W.
WASHINGTON, DC 20005

EXAMINER

PARTHASARATHY, PRAMILA

ART UNIT PAPER NUMBER

2136

DATE MAILED: 07/15/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/668,112

Applicant(s)

GRANDCOLAS ET AL.

Examiner

Pramila Parthasarathy

Art Unit

2136

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 May 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 and 25 - 43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 and 25 - 43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 5/16/2005.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

DETAILED ACTION

1. This action is in response to the communication filed on May 16, 2005.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114.

3. Applicant's submission filed on May 16, 2005 has been entered and made of record. Claims 1 – 19 and 25 - 43 are pending.

Information Disclosure Statement

4. An initialed copy of the information disclosure statement, filed on May 16, 2005 is attached to this office action.

Response to Arguments

5. Applicant's arguments filed on May 16, 2005, have been fully considered but they are not persuasive for the following reasons:

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

6. Claims 1 – 19 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. Claims 1 states, "authentication ..., detecting..., transmitting .., authenticating the authentication token... and providing ...". These limitations are considered non-statutory subject matter because they consist on software process steps without any application to a hardware device. Dependent claims 2 – 19 are rejected based on their dependency from Claim 1.

To expedite a complete examination of the application, the claims rejected under 35 U.S.C. 101 (non-statutory) above are further rejected (or objected) as set forth below in anticipation of applicant amending these claims to place them within the four statutory categories of invention.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 1 – 19 and 25 – 43 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

The amended independent Claims 1 and 25 read, “ ...providing a first type of service session ...”, and “a second type of service session ...”.

8. With respect to “a first type of service” and “a second type of service session”, although the specification discloses a method and system for single sign-on a user access to multiple web servers, the user having a service selector, constructing an authentication token and if the expiration time has not passed, a second web server allows the user to conduct a session at the second web server, the specification does not disclose, “a first type of service session ...”, and “a second type of service session”. Applicant remarks/arguments merely recites the amended Claims 1 and 25 and does not clarify “a first type of service session ...”, and “a second type of service session”, but directs to Page 4 lines 25 – Page 12 line 24 of instant application specification, which

does not disclose “a first type of service session ...”, and “a second type of service session”.

Examiner broadly interprets “a first type of service session ...”, and “a second type of service session” as authenticating a user to create an encrypted authentication token and redirecting a web browser of the user to transmit the encrypted authentication token.

The dependent claims 2 – 19 and 26 – 43 are rejected at least by virtue of their dependency on the dependent claims.

9. Samsazel et al. (U.S. Patent 6,263,432) teach an electronic ticketing, authentication and/or authorization security system which enables a user with an eticket (encrypted authentication information), to be authenticated and authorized for a requested service. Sasmazel furthermore, teach that the user need not re-authenticate each time a new server is accessed.

10. Regarding independent amended claims 1 and 25, applicant argued that cited prior art, Sasmazel does not teach, “the first web server also providing a first type of service session functionality for the user in addition to an authentication functionality” and “for a second type of service session functionality for the user at said first web server that is not provided by the first web server.. providing the second type of session functionality for the user”. These arguments are not found persuasive.

Applicant agrees that Sasmazel teaches authenticating a user by an authentication server after receiving a user's request and applicant also agrees that the ticket includes the user's authentication and authorization information. Sasmazel discloses authenticating a user at a first server (Column 2 lines 19 - 59 and Column 7 line 39 – Column 8 line 55); detecting a client request at said first server, said first server determining a second server related to the request and in response thereto creating an encrypted authentication token related to the user and redirecting a web browser of the user to the second server (Column 2 lines 19 – 59; Column 6 line 10 – 39; and Column 10 lines 9 – 50); transmitting the encrypted token from the first server to the second server via the user's web browser, wherein the authentication token comprises an expiration time and is digitally signed by the first server (Column 2 lines 19 – 64 and Column 7 lines 18 – 67); authenticating the authentication token at the second server (Column 2 lines 19 – 64 and Column 8 line 1 – Column 9 line 28); and allowing the user to conduct a session at the second server (Column 9 lines 10 – 33). Sasmazel clearly teaches that a user does not have to "re-authenticate" each time a new server is accessed (Column 8 lines 42 – 52 and Column 9 lines 20 – 32).

11. Applicant clearly has failed to explicitly identify specific claim limitations, which would define a patentable distinction over prior arts. Therefore, the examiner respectfully asserts that prior art does teach or suggest the subject matter broadly recited in independent claims 1 and 25. Dependent claims 2 – 19 and 26 – 43 are also

Art Unit: 2136

rejected at least by virtue of their dependency on independent claims and by other reason set forth in this office action.

Accordingly, the rejection for the pending Claims 1 – 19 and 26 - 43 is respectfully maintained.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

12. Claims 1- 48 are rejected under 35 U.S.C. 102(e) as being anticipated by Sasmazel et al. (U.S. Patent No.: 6,263,432).

Regarding Claim 1, Sasmazel teaches and describes

authenticating a user by a first web server, the first web server also providing a first type of service session functionality for the user in addition to an authenticating functionality (Column 2 lines 19 - 59 and Column 7 line 39 – Column 8 line 55);

detecting a client request for a second type of service session functionality for the user at said first web server that is not provided by the first web server, said first web server, for determining a second web server providing the second type of session functionality for the user and in response thereto creating an encrypted authentication token related to the user and redirecting a web browser of the user to the second web server (Column 2 lines 19 – 59; Column 6 line 10 – 39; and Column 10 lines 9 – 50);

transmitting the encrypted token from the first web server to the second web server via the user's web browser, wherein the authentication token comprises an expiration time and is digitally signed by the first web server (Column 2 lines 19 – 64 and Column 7 lines 18 – 67);

authenticating the authentication token by the second web server (Column 2 lines 19 – 64 and Column 8 line 1 – Column 9 line 28); and

providing the second type of service session functionality for the user to conduct a session by the second web server (Column 9 lines 10 – 33).

Regarding Claim 25, Sasmazel teaches and describes

a means for authenticating a user by a first web server, the first web server also providing a first type of service session functionality for the user in addition to an authenticating functionality (Column 2 lines 19 - 59 and Column 7 line 39 – Column 8 line 55);

means for detecting a client request for a second type of service session functionality for the user at said first web server, said first web server that is not

provided by the first web server, said first web server, for determining a second web server providing the second type of session functionality for the user and in response thereto creating an encrypted authentication token related to the user and redirecting a web browser of the user to the second web server (Column 2 lines 19 – 59; Column 6 line 10 – 39; and Column 10 lines 9 – 50);

a means for transmitting the encrypted token from the first web server to the second web server via the user's web browser, wherein the authentication token comprises an expiration time and is digitally signed by the first web server (Column 2 lines 19 – 64 and Column 7 lines 18 – 67);

a means for authenticating the authentication token at the second web server (Column 2 lines 19 – 64 and Column 8 line 1 – Column 9 line 28); and

a means for providing the second type of service session functionality for the user to conduct a session by the second web server (Column 9 lines 10 – 33).

Claim 2 is rejected as applied above in rejecting claim 1. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein the first web server and the second web server share a sub-domain (Fig. 2 #220, #240 and Column 6 lines 10 – 40 and Column 10 lines 10 – 30).

Claim 26 is rejected as applied above in rejecting claim 25. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple

Art Unit: 2136

web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the first web server and the second web server share a sub-domain (Fig. 2 #220, #240 and Column 6 lines 10 – 40 and Column 10 lines 10 – 30).

Claim 39 is rejected as applied above in rejecting claim 25. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to a federation of web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising:

a means for sending the digitally signed authentication token to the web browser of the computing device by the first web server (Column 7 lines 39 – Column 8 lines 58); and

a means for sending the authentication token to the second web server by the web browser (Fig. 7 and Column 8 lines 57 – Column 9 line 9).

Claim 3 is rejected as applied above in rejecting claim 2. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising examining the expiration time of the authentication token at the second web server and allowing the user to conduct a session at the second web server only if the expiration time has not passed (Fig. 3 #302 and Column 9 lines 10 – 32).

Claim 27 is rejected as applied above in rejecting claim 26. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising a means for examining the expiration time of the authentication token at the second web server (Column Fig. 3 #302; Column 7 lines 45 – 47 and Column 9 lines 10 – 17).

Claim 40 is rejected as applied above in rejecting claim 39. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to a federation of web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising a means for allowing the user to conduct a session with the first web server (Fig. 2 #220 and Column 6 lines 10 – Column 9 line 15).

Claim 4 is rejected as applied above in rejecting claim 3. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein the authentication token comprises a cookie (Column 6 lines 10 – 57).

Claim 28 is rejected as applied above in rejecting claim 27. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the authentication token comprises a cookie (Column 6 lines 10 – 57).

Claim 41 is rejected as applied above in rejecting claim 40. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to a federation of web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the second web server shares a sub-domain with the first web server (Fig. 2 #220, #240 and Column 6 lines 10 – 40 and Column 10 lines 10 – 30).

Claim 5 is rejected as applied above in rejecting claim 4. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein transmitting the encrypted authentication token from the first web server to the second web server comprises transmitting the encrypted authentication token from the first web server to the user, and then from the user to the second web server (Column 8 lines 42 – 58).

Claim 29 is rejected as applied above in rejecting claim 28. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the means for transmitting the encrypted authentication token from the first web server to the second web server comprises means for transmitting the encrypted authentication token from the first web server to the user, and then from the user to the second web server (Column 8 lines 42 – 58).

Claim 42 is rejected as applied above in rejecting claim 41. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to a federation of web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising means for digitally signing the authentication token using public key encryption (Fig. 3 #306 Column 7 lines 18 – 54).

Claim 6 is rejected as applied above in rejecting claim 5. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein authenticating the user at the first web server comprises receiving a user name and password (Fig. 6 and Column 8 lines 1 – 5).

Claim 30 is rejected as applied above in rejecting claim 29. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the means for authenticating the user at the first web server comprises receiving a user name and password (Fig. 6 and Column 8 lines 1 – 5).

Claim 43 is rejected as applied above in rejecting claim 42. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to a federation of web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising a means for confirming a match with the digital signature (Fig. 13, Column 6 lines 44 – Column 9 line 28).

Claim 7 is rejected as applied above in rejecting claim 6. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein transmitting the encrypted authentication token from the first web server to a second web server comprises transmitting the authentication token from the first web server to a computer of the user; and transmitting the authentication token from the computer of the user of the second web server (Column 8 lines 42 – 58).

Claim 31 is rejected as applied above in rejecting claim 30. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein transmitting the encrypted authentication token from the first web server to a second web server comprises means for transmitting the authentication token from the first web server to a computer of the user; and means for transmitting the authentication token from the computer of the user of the second web server (Column 8 lines 42 – 58).

Claim 8 is rejected as applied above in rejecting claim 7. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein the first web server and the second web server comprise a federation of web servers (Column 6 lines 10 – 40, Column 8 lines 46 – 50 and Column 10 lines 40 – 50).

Claim 32 is rejected as applied above in rejecting claim 31. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the first web server and the second web server comprise a federation of web servers (Column 6 lines 10 – 40, Column 8 lines 46 – 50 and Column 10 lines 40 – 50).

Claim 9 is rejected as applied above in rejecting claim 8. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein authenticating the authentication token at the second web server comprises examining the cookie (Column 8 lines 46 – 60 and Column 9 lines 10 – 15).

Claim 33 is rejected as applied above in rejecting claim 32. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the means for authenticating the authentication token at the second web server comprises means for examining the cookie (Column 8 lines 46 – 60 and Column 9 lines 10 – 15).

Claim 10 is rejected as applied above in rejecting claim 9. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising URL encoding the authentication token (Column 6 lines 10 – 23 and Column 7 lines 38 – 67).

Claim 34 is rejected as applied above in rejecting claim 33. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising a means for URL encoding the authentication token (Column 6 lines 10 – 23 and Column 7 lines 38 – 67).

Claim 11 is rejected as applied above in rejecting claim 10. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising URL decoding the authentication token at the second web server (column 9 lines 10 – 32).

Claim 35 is rejected as applied above in rejecting claim 34. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising a means for URL decoding the authentication token at the second web server (column 9 lines 10 – 32).

Claim 12 is rejected as applied above in rejecting claim 11. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising providing a web page to the user having a service selector (Column 6 lines 10 – 40).

Claim 36 is rejected as applied above in rejecting claim 35. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), further comprising providing a web page to the user having a service selector (Column 6 lines 10 – 40).

Claim 13 is rejected as applied above in rejecting claim 12. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein the service selector comprises a hyperlink (Fig. 7 and Column 6 lines 10 - 23).

Claim 37 is rejected as applied above in rejecting claim 36. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the service selector comprises a hyperlink (Fig. 7 and Column 6 lines 10 - 23).

Claim 14 is rejected as applied above in rejecting claim 13. Furthermore, Sasmazel teaches and describes a method of single sign-on user access to multiple web servers (Fig. 7 and Column 10 lines 10 – 30), wherein the hyperlink comprises a URL for the second web server (Column 6 lines 10 – 40).

Claim 38 is rejected as applied above in rejecting claim 37. Furthermore, Sasmazel teaches and describes, a system for single sign-on user access to multiple

web servers (Fig. 7 and Column 4 lines 15 – Column 10 line 40), wherein the hyperlink comprises a URL for the second web server (Column 6 lines 10 – 40).

Claim 15 is rejected as applied above in rejecting claim 7. Furthermore, Sasmazel teaches and describes, a method for single sign-on user access to a federation of web servers (Fig. 7 and Column 10 lines 10 – 30), comprising:

- sending the digitally signed authentication token to the web browser of the computing device by the first web server (Column 7 lines 39 – Column 8 line 58); and
- sending the authentication token to the second web server by the web browser (Fig. 7 and Column 8 lines 57 – Column 9 line 9).

Claim 16 is rejected as applied above in rejecting claim 15. Furthermore, Sasmazel teaches and describes, a method for single sign-on user access to a federation of web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising allowing the user to conduct a session with the first web server (Fig. 2 #220 and Column 6 lines 10 – Column 9 line 15).

Claim 17 is rejected as applied above in rejecting claim 16. Furthermore, Sasmazel teaches and describes, a method for single sign-on user access to a federation of web servers (Fig. 7 and Column 10 lines 10 – 30), wherein the second web server shares a sub-domain with the first web server (Fig. 2 #220, #240 and Column 6 lines 10 – 40 and Column 10 lines 10 – 30).

Claim 18 is rejected as applied above in rejecting claim 17. Furthermore, Sasmazel teaches and describes, a method for single sign-on user access to a federation of web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising digitally signing the authentication token using public key encryption (Fig. 3 #306 Column 7 lines 18 – 54).

Claim 19 is rejected as applied above in rejecting claim 18. Furthermore, Sasmazel teaches and describes, a method for single sign-on user access to a federation of web servers (Fig. 7 and Column 10 lines 10 – 30), further comprising confirming a match with the digital signature (Fig. 13, Column 6 lines 44 – Column 9 line 28).

Conclusion

13. Examiner's Note: Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant, in preparing the responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the examiner.

14. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO Form 892.

Applicant is urged to consider the references. However, the references should be evaluated by what they suggest to one versed in the art, rather than by their specific disclosure. If applicants are aware of any better prior art than those are cited, they are required to bring the prior art to the attention of the examiner.

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pramila Parthasarathy whose telephone number is 571-272-3866. The examiner can normally be reached on 8:00a.m. To 5:00p.m.. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 571-232-3795. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR only. For more information about the PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Pramila Parthasarathy
July 09, 2005.


AYAZ SHEIKH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100